

Annual Report of Site Surveillance and Maintenance Activities at the Rocky Flats, Colorado, Site Calendar Year 2008

April 2009






U.S. Department of Energy Office of Legacy Management

Annual Report of Site Surveillance and Maintenance Activities at the Rocky Flats, Colorado, Site

Calendar Year 2008

April 2009



Contents

Abbr	eviation	ıs			XV
Exec	utive Su	ımmary .			xix
1.0	Intro	duction			1–1
	1.1	Purpo	se and Sco	pe	1–2
	1.2	_			
	1.3	RFLM	IA Contact	t Records	1–4
2.0	Site Operations and Maintenance			2–1	
	2.1			ection	
	2.2			Quality Control Commission (WQCC) Proceeding	
				(U), Gross Alpha and Gross Beta Standards	
		2.2.2		ry Modifications (TMs)	
		2.2.3		on 38 Triennial Review	
	2.3				
	2.4				
		2.4.1		andfill	
				Inspection Results	
				Slumps	
				Settlement Monuments	
		2.4.2		Landfill	
				Inspection Results	
				Settlement Monuments	
		~		Geotechnical Investigation and Repairs	
	2.5			ime Treatment Systems Maintenance	
		2.5.1		ite Plume Treatment System	
		2.5.2		nches Plume Treatment System	
	2.6	2.5.3		nds Plume Treatment System	
	2.6			and Revegetation	
	2.7	2.6.1		Control	
	2.7			intenance and Operations	
		2.7.1		grades	
		2.7.2		rity	
2.0	D			Security Issues	
3.0				ing.	
	3.1			ig	
		3.1.1		ion Water Monitoring Highlights: CY 2008	
				Well Abandonment and Replacement	
		3.1.2		Monitoring	
		3.1.2		POC Monitoring	
				POE Monitoring	
				AOC Wells and SW018	
				Boundary Wells	
				Sentinel Wells	
				Evaluation Wells	
			5.1.2.0	Lvaraaton vvons	

		3.1.2.7	Investigative Monitoring	3–44
		3.1.2.8	PLF Monitoring	3–46
		3.1.2.9	OLF Monitoring	
		3.1.2.10	Groundwater Treatment System Monitoring	3–56
		3.1.2.11	Pre-Discharge Monitoring	3–62
	3.1.3	Rocky F	lats Hydrology	3–63
		3.1.3.1	General Hydrologic Setting	3–63
		3.1.3.2	Surface-Water Hydrologic Data Presentation	3–68
		3.1.3.3	Surface-Water Discharge Data Summaries	3–70
		3.1.3.4	Precipitation Data	
		3.1.3.5	Groundwater Flow	3–128
	3.1.4	Surface-	Water Data Interpretation and Evaluation	3–138
		3.1.4.1	Surface Water-Quality Summaries	3–138
		3.1.4.2	Surface-Water Loading Analysis	3–159
	3.1.5	Groundy	vater Data Interpretation and Evaluation	3–213
		3.1.5.1	RFLMA Groundwater Monitoring Activities of 2008	3–213
		3.1.5.2	Non-RFLMA Groundwater Monitoring Activities of 20	
		3.1.5.3	Groundwater at the Rocky Flats Site: Discussion and	
			Interpretations	3-220
		3.1.5.4	Other Water-Related Issues in 2008	3–279
3.2	Air M	onitoring.		3–284
	3.2.1	Introduc	tion	3–284
3.3	Ecolog	gical Mon	itoring	3–285
	3.3.1	Introduc	tion	3–285
	3.3.2	Vegetati	on Monitoring	3–285
		3.3.2.1	Site Flora	3–286
		3.3.2.2	Weed Mapping and Weed Control	3–286
		3.3.2.3	Revegetation Activities in 2008	3–295
		3.3.2.4	Revegetation Monitoring	3–295
		3.3.2.5	PLF and OLF Monitoring	3–307
		3.3.2.6	Photomonitoring Results	3–309
	3.3.3	Wildlife	Monitoring	3–309
		3.3.3.1	Prairie Dog Surveys	3–309
	3.3.4	Summar	y	3-310
3.4	RFLM	IA Ecolog	rical Sampling	3–310
3.5	Data N	Manageme	ent	3–313
	3.5.1	Water D	ata	3–313
	3.5.2	Ecology	Data	3–313
3.6	Valida		Data Quality Assessment	
	3.6.1	General	Discussion	3–314
	3.6.2	PARCC	Parameters	3–316
		3.6.2.1	Criteria for Precision	3–316
		3.6.2.2	Criteria for Accuracy	3–317
		3.6.2.3	Criteria for Representativeness	3–317
		3.6.2.4	Criteria for Completeness	3–318
		3.6.2.5	Criteria for Comparability	3–319
	3.6.3	Water D	QA Results for CY 2008	3–319
		3.6.3.1	Precision During CY 2008	3_319

		3.6.3.2	Accuracy During CY 2008	3-320
		3.6.3.3	Representativeness During CY 2008	3-321
		3.6.3.4	Completeness During CY 2008	
		3.6.3.5	Comparability During CY 2008	
4.0	References			
			Figures	
			rigures	
Figure 2			ch at Dam B-2	
Figure 2			plog Structure at Dam A-2	2–6
Figure 3			e Water Monitoring Locations and Precipitation Gages:	
			CY 2008	
Figure 3			g Locations	3–9
Figure 3			ted 30-Day Average Pu and Am Activities at GS01:	
			Ending Fourth Quarter CY 2008	3–11
Figure 3			ted 30-Day Average Total U Activities at GS01:	
	Cal	lendar Year	Ending Fourth Quarter CY 2008	3–11
Figure 3	3–5. PO	E Monitorin	g Locations	3–16
Figure 3	3–6. Vo	lume-Weigh	ted Average Pu and Am Compliance Values at GS10:	
	Cal	lendar Year	Ending Fourth Quarter CY 2008	3–18
Figure 3	3–7. Vo	lume-Weigh	ted Average Total U Compliance Values at GS10:	
			Ending Fourth Quarter CY 2008	3–18
Figure 3			ted Average Metals Compliance Values at GS10:	
	Cal	endar Year	Ending Fourth Quarter CY 2008	3-20
Figure 3	3–9. PO	E Monitorin	g Station GS10: Compliance Values and Individual	
_	Sar	nple Results	for Total U (January 1, 2008–February 1, 2009)	3–23
Figure 3	3–10. PO	E Monitorin	g Station GS10: Hydrograph and Individual Sample	
C		sults for Tota	al U (January 1, 1997–February 22, 2009)	3-24
Figure 3			al Total U Concentrations at GS10: 1997–2009	
Figure 3		-	Loads at GS10: 1997–2009	
Figure 3		riation of To	tal U Concentration with Flow Rate at GS10:	
C		97 - 2008 and	l Portion of 2009	3–29
Figure 3			g Station GS10: Hydrograph and Individual Sample	
C			dness (January 1, 1997–February 22, 2009)	3–30
Figure 3			tted Average Pu and Am Compliance Values at SW093:	
U		_	Ending Fourth Quarter CY 2008	3–33
Figure 3			ited Average Total U Compliance Values at SW093:	
6			Ending Fourth Quarter CY 2008	3–34
Figure 3			ted Average Metals Compliance Values at SW093:	
8*			Ending Fourth Quarter CY 2008	3–35
Figure 3			SW018 Locations.	
Figure 3			Locations	
Figure 3		•	ocations	
Figure 3			Il Locations	
Figure 3			Ionitoring Locations	
Figure 3			g Locations	
riguic.	الـ ـا . د ـــــــــ د	i ivioiiitoiiii	5 Locations	J— 1 /

B, Se, U, and Zn in Downgradient Groundwater from PLF RCRA	
Wells Identified in 2008 ANOVA Data Evaluations	3–50
OLF Monitoring Locations	3–51
B and U in Downgradient Groundwater from OLF RCRA Wells	
	3–55
RFLMA MSPTS Monitoring Locations	3–57
RFLMA SPPTS Monitoring Locations	3–59
PLFTS Monitoring Locations	3–61
Pre-Discharge Sampling Locations	3–62
Major Site Drainage Areas - Walnut Creek, Woman Creek, and Rock	
	3–65
Rocky Flats Site Water Routing Schematic: End of CY 2008	3–66
Annual Discharge Summary from Major Site Drainages:	
CY 1997–2008	3–71
	3–71
Map Showing Relative CY 1997–2008 Discharge Volumes for POEs	
	3–72
Relative Total Inflow Volumes for Site Ponds: Pre- and Post-Closure	
	3–74
Relative Total Outflow Volumes for Site Ponds: Pre- and Post-Closure	
Periods	3–75
CY 2008 Mean Daily Hydrograph at GS01: Woman Creek at Indiana	
· · · · · ·	3–77
	3–78
CY 2008 Mean Daily Hydrograph at GS03: Walnut Creek at Indiana	
	3–80
CY 1997–2008 Mean Daily Hydrograph at GS03: Walnut Creek at	
	3–81
GS05 Drainage Area	3–82
CY 2008 Mean Daily Hydrograph at GS05: North Woman Creek at	
	3–83
CY 1997–2008 Mean Daily Hydrograph at GS05: North Woman Creek	
at West Fenceline	3–84
GS08 Drainage Area	3–85
CY 2008 Mean Daily Hydrograph at GS08: South Walnut Creek at	
	3–86
CY 1997–2008 Mean Daily Hydrograph at GS08: South Walnut Creek	
	3–87
CY 2008 Mean Daily Hydrograph at GS10: South Walnut Creek at	
	3–89
	Wells Identified in 2008 ANOVA Data Evaluations. OLF Monitoring Locations. B and U in Downgradient Groundwater from OLF RCRA Wells Identified in 2008 ANOVA Data Evaluations. RFLMA MSPTS Monitoring Locations. RFLMA SPPTS Monitoring Locations. RFLMA SPPTS Monitoring Locations. RFLMA SPPTS Monitoring Locations. PLIFTS Monitoring Locations. Pre-Discharge Sampling Locations. Pre-Discharge Sampling Locations. Major Site Drainage Areas - Walnut Creek, Woman Creek, and Rock Creek: End of CY 2008. Rocky Flats Site Water Routing Schematic: End of CY 2008 Annual Discharge Summary from Major Site Drainages: CY 1997–2008 Relative Total Discharge Summary from Major Site Drainages: Pre-and Post-Closure Periods. Map Showing Relative CY 1997–2008 Discharge Volumes for POEs and POCs: Pre- and Post-Closure Periods Pond Inflows: CY 1997–2008 Relative Total Inflow Volumes for Site Ponds: Pre- and Post-Closure Periods. Relative Total Outflow Volumes for Site Ponds: Pre- and Post-Closure Periods. Relative Total Outflow Volumes for Site Ponds: Pre- and Post-Closure Periods. GS01 Drainage Area. CY 2008 Mean Daily Hydrograph at GS01: Woman Creek at Indiana Street. GS03 Drainage Area CY 2008 Mean Daily Hydrograph at GS03: Walnut Creek at Indiana Street. CY 1997–2008 Mean Daily Hydrograph at GS03: Walnut Creek at Indiana Street. CY 2008 Mean Daily Hydrograph at GS05: North Woman Creek at Indiana Street. GS03 Drainage Area. CY 2008 Mean Daily Hydrograph at GS05: North Woman Creek at West Fenceline. CY 1997–2008 Mean Daily Hydrograph at GS05: North Woman Creek at West Fenceline. CY 1997–2008 Mean Daily Hydrograph at GS05: North Woman Creek at West Fenceline. CY 2008 Mean Daily Hydrograph at GS08: South Walnut Creek at Pond B-5 Outlet. CY 1997–2008 Mean Daily Hydrograph at GS08: South Walnut Creek at Pond B-5 Outlet.

Figure 3–55.	CY 1997–2008 Mean Daily Hydrograph at GS10: South Walnut Creek	
	at Pond B-1 Bypass	3–90
Figure 3–56.	GS11 Drainage Area	3–91
Figure 3–57.	CY 2008 Mean Daily Hydrograph at GS11: North Walnut Creek at	
	Pond A-4 Outlet	3–92
Figure 3–58.	CY 1997–2008 Mean Daily Hydrograph at GS11: North Walnut Creek	
	at Pond A-4 Outlet	3–93
Figure 3–59.	GS12 Drainage Area	3–94
Figure 3–60.	CY 2008 Mean Daily Hydrograph at GS12: North Walnut Creek at	
	Pond A-3 Outlet	3–95
Figure 3–61.	CY 1997–2008 Mean Daily Hydrograph at GS12: North Walnut Creek	
	at Pond A-3 Outlet	
Figure 3–62.	GS13 Drainage Area	3–97
Figure 3–63.	CY 2008 Mean Daily Hydrograph at GS13: North Walnut Creek at	
	Pond A-1 Bypass	3–98
Figure 3–64.	CY 2005–2008 Mean Daily Hydrograph at GS13: North Walnut Creek	
	at Pond A-1 Bypass	3–99
Figure 3–65.	GS31 Drainage Area	3–100
Figure 3–66.	CY 2008 Mean Daily Hydrograph at GS31: Woman Creek at Pond C-2	
	Outlet	3–101
Figure 3–67.	CY 1997–2008 Mean Daily Hydrograph at GS31: Woman Creek at	
	Pond C-2 Outlet	
Figure 3–68.	GS33 Drainage Area	3–103
Figure 3–69.	CY 2008 Mean Daily Hydrograph at GS33: No Name Gulch at Walnut	
	Creek	3–104
Figure 3–70.	CY 1997–2008 Mean Daily Hydrograph at GS33: No Name Gulch at	
	Walnut Creek	
Figure 3–71.	GS51 Drainage Area	
Figure 3–72.	CY 2008 Mean Daily Hydrograph at GS51: Ditch South of 903 Pad	3–107
Figure 3–73.	CY 2001–2008 Mean Daily Hydrograph at GS51: Ditch South of	
	903 Pad	
Figure 3–74.		
Figure 3–75.		
	Antelope Springs Confluence	3–110
Figure 3–76.	CY 2002–2008 Mean Daily Hydrograph at GS59: Woman Creek	
	Upstream of Antelope Springs Confluence	
Figure 3–77.	SPPDISCHARGEGALLERY Location	
Figure 3–78.	CY 2008 Mean Daily Hydrograph at SPPDISCHARGEGALLERY	3–113
Figure 3–79.	CY 2007–2008 Mean Daily Hydrograph at	
	SPPDISCHARGEGALLERY	
Figure 3–80.	SW018 Drainage Area	
Figure 3–81.	CY 2008 Mean Daily Hydrograph at SW018: FC-2 at FC-2 Wetland	3–116
Figure 3–82.	CY 2003–2008 Mean Daily Hydrograph at SW018: FC-2 at FC-2	–
	Wetland	
Figure 3–83.	SW027 Drainage Area	
Figure 3–84.	CY 2008 Mean Daily Hydrograph at SW027: SID at Pond C-2	
Figure 3–85.	CY 1997–2008 Mean Daily Hydrograph at SW027: SID at Pond C-2	
Figure 3–86.	SW093 Drainage Area	3–121

Figure 3–87.	CY 2008 Mean Daily Hydrograph at SW093: North Walnut Creek	
	Upstream of Pond A-1 Bypass	3–122
Figure 3–88.	CY 1997–2008 Mean Daily Hydrograph at SW093: North Walnut	
	Creek Upstream of Pond A-1 Bypass	3–123
Figure 3–89.	Site Precipitation Gages: CY 2008	3–124
Figure 3–90.	Annual Total Precipitation for CY 1997–2008	3–125
Figure 3–91.	Average Monthly Precipitation for CY 1997–2008	3–125
Figure 3–92.	Relative Monthly Precipitation Totals for CY 1997–2008	
Figure 3–93.	Monthly Precipitation for CY 2008	
Figure 3–94.	Relative Monthly Precipitation Volumes for CY 2008	3–127
Figure 3–95.	Daily Precipitation Totals for CY 2008	3–127
Figure 3–96.	UHSU Potentiometric Contours: Second Quarter CY 2008	3–131
Figure 3–97.	UHSU Potentiometric Contours: Fourth Quarter CY 2008	
Figure 3–98.	Median Pu-239,240 Activities for CY 1997–October 13, 2005	
Figure 3–99.		
Figure 3–100.	Median Am-241 Activities for CY 1997–October 13, 2005	
	Post-Closure Median Am-241 Activities	
	Median Total U Activities for CY 1997–October 13, 2005	
	Post-Closure Median Total U Activities	
_	Post-Closure Median Nitrate+Nitrite as Nitrogen Concentrations	
_	Average Pu/Am Ratios for CY 1997–October 13, 2005	
-	Post-Closure Average Pu/Am Ratios	
	Average U-233,234/U-238 Ratios for CY 1997–October 13, 2005	
	Post-Closure Average U-233,234/U-238 Ratios	
	Relative Average Annual Pu Loading Schematic: CY 1997–2005	
-	Relative Average Annual Pu Loading Schematic: CY 2006–2008	
	Relative Average Annual Am Loading Schematic: CY 1997–2005	
	Relative Average Annual Am Loading Schematic: CY 2006–2008	
	Relative Average Annual Total U Loading Schematic: CY 2003–2005	
Figure 3–114.	Relative Average Annual Total U Loading Schematic: CY 2006–2008	3–166
	Combined Annual Pu and Am Loads from Walnut and Woman Creeks:	
<u> </u>	CY 1997–2008	3–168
Figure 3–116.	Annual Pu Loads from Walnut and Woman Creeks: CY 1997–2008	3–168
_	Relative Average Annual Pu Load Totals from Walnut and Woman	
	Creeks	3–169
Figure 3–118.	Annual Am Loads from Walnut and Woman Creeks: CY 1997–2008	
-	Relative Average Annual Am Load Totals from Walnut and Woman	
C	Creeks	3–170
Figure 3–120.	Annual Total U Loads from Walnut and Woman Creeks: CY 2003–	
\mathcal{C}	2008	3–171
Figure 3–121.	Relative Average Annual Total U Load Totals from Walnut and	
C	Woman Creeks	3–171
Figure 3–122.	Annual Pu and Am Loads at GS03: CY 1997–2008	
	Annual Pu Loads at GS03, GS08, and GS11: CY 1997–2008	
-	Relative Average Annual Pu Load Totals at GS03, GS08, and GS11	
_	Annual Am Loads at GS03, GS08, and GS11: CY 1997–2008	
_	Relative Average Annual Am Load Totals at GS03, GS08, and GS11	
	Annual Total U Loads at GS03, GS08, and GS11; CY 2003–2008	

Figure 3–128.	Relative Average Annual Total U Load Totals at GS03, GS08, and	
	GS11	
	Annual Pu and Am Loads at GS01: CY 1997–2008	
•	Annual Pu Loads at GS01 and GS31: CY 1997–2008	3–182
Figure 3–131.	Relative Average Annual Pu Load Totals at GS01 and GS31: CY 1997–2005	3–182
Figure 3–132.	Annual Am Loads at GS01 and GS31: CY 1997–2008	
-	Relative Average Annual Am Load Totals at GS01 and GS31:	
	CY 1997–2005	
	Annual Total U Loads at GS01 and GS31: CY 2003–2008	3–184
Figure 3–135.	Relative Average Annual Total U Load Totals at GS01 and GS31: CY 2003–2005	3–185
Figure 3–136.	Annual Pu Loads from Terminal Ponds A-4, B-5, and C-2: CY 1997–2008.	3–186
Figure 3–137.	Relative Average Annual Pu Load Totals from Terminal Ponds A-4, B-5, and C-2	
Figure 3–138.	Annual Am Loads from Terminal Ponds A-4, B-5, and C-2: CY 1997–2008	3–187
Figure 3–139.	Relative Average Annual Am Load Totals from Terminal Ponds A-4, B-5, and C-2	3–188
Figure 3–140.	Annual Total U Loads from Terminal Ponds A-4, B-5, and C-2: CY 1997–2008	3–189
Figure 3–141.	Relative Average Annual Total U Load Totals from Terminal Ponds A-4, B-5, and C-2	
Figure 3–142.	Annual Pu Loads for the A- and B-Series Ponds: CY 1997–2008	
-	Relative Average Annual Pu Load Totals for the A- and B-Series Ponds	
-	Annual Am Loads for the A- and B-Series Ponds: CY 1997–2008	
Figure 3–145.	Relative Average Annual Am Load Totals for the A- and B-Series Ponds	3–194
Figure 3–146.	Relative Average Annual Total U Loading Schematic for the A- and B-Series Ponds: CY 1997–2005	
Figure 3–147.	Relative Average Annual Total U Loading Schematic for the A- and	3–196
Figure 3_148	Annual Total U Loads for the A- and B-Series Ponds: CY 1997–2008	
-	Relative Average Annual Total U Load Totals for the A- and B-Series	
	Ponds	
	Annual Pu Loads for Pond C-2: CY 1997–2008	
	Relative Average Annual Pu Load Totals for Pond C-2	
	Annual Am Loads for Pond C-2: CY 1997–2008	
	Relative Average Annual Am Load Totals for Pond C-2	3–201
Figure 3–154.	Relative Average Annual U Loading Schematic for Pond C-2: CY 1997–2005	3–203
Figure 3–155.	Relative Average Annual U Loading Schematic for Pond C-2: CY 2006–2008.	3–204
Figure 3–156.	Annual Total U Loads for Pond C-2: CY 1997–2008	
	Relative Average Annual Total U Load Totals for Pond C-2	
	Combined Annual Pu Loads from Major COU Drainages and Former	
	WWTP: CY 1997–2008	3-207

Figure 3–159.	Relative Average Annual Pu Load Totals from Major COU Drainages	
	and Former WWTP	3-208
Figure 3–160.	Annual Am Loads from Major COU Drainages and WWTP: CY 1997–	
	2008	3–209
Figure 3–161.	Relative Average Annual Am Load Totals from Major COU Drainages	
	and WWTP	
Figure 3–162.	Annual Pu and Am Loads at GS10: CY 1997–2008	3-210
Figure 3–163.	Annual Pu and Am Loads at the WWTP: CY 1997–2008	3-210
Figure 3–164.	Annual Pu and Am Loads at SW027: CY 1997–2008	3-211
Figure 3–165.	Annual Pu and Am Loads at SW093: CY 1997–2008	3-211
Figure 3–166.	Annual Total U Loads from Major COU Drainages and Former	
	WWTP: CY 1997–2008	3–212
Figure 3–167.	Relative Average Annual Total U Loads from Major COU Drainages	
	and Former WWTP	3–213
Figure 3–168.	Time-Series Plot of Discontinuous U Concentrations from Select Wells	3–225
Figure 3–169.	VOC Concentrations in Samples from Mound Plume and OBP#2	
	Plume Source Area Evaluation Wells 00897 and 91105	3-227
Figure 3–170.	Concentrations of VOCs in OBP#2 Source Area Evaluation Well	
	91105	3-228
Figure 3–171.	VOC Concentrations in Samples from Mound Plume and OBP#2	
	Plume Downgradient Wells 15699 and 91203	3–229
Figure 3–172.	Selected VOC Concentrations in Samples from Well 91305	3-230
Figure 3–173.	Hydrograph for MSPTS Since 2000	3–232
Figure 3–174.	Hydrograph for MSPTS for CY 2008	3-232
Figure 3–175.	Recent Concentrations of Select VOCs in MSPTS Influent and Effluent	3-235
Figure 3–176.	Concentrations of Selected VOCs in East Trenches Plume Source-Area	
	Evaluation Wells 3687 and 05691	3–237
Figure 3–177.	Most Commonly Detected VOCs in Sentinel Wells Downgradient of	
	the ETPTS	
Figure 3–178.	Hydrograph for ETPTS Since 2000	3-240
Figure 3–179.	Hydrograph for ETPTS for CY 2008	3–240
Figure 3–180.	Nitrate Concentrations in Evaluation Wells Along the Former SEP	
	Margins	3–243
Figure 3–181.	U Concentrations in Evaluation Wells Along the Former SEP Margins	3–244
Figure 3–182.	U and Nitrate Concentrations in Wells Downgradient of the Former	
	SEPs	
Figure 3–183.	Primary VOCs in the SEP-Area VOC Plume	3–246
Figure 3–184.	Hydrograph for SPPTS Since 2000	3–248
Figure 3–185.	Hydrograph for SPPTS for CY 2008	3–248
Figure 3–186.	Recent Concentrations of Nitrate in Samples from SPPTS Monitoring	
	Locations	3–250
Figure 3–187.	Recent Concentrations of U in Samples from SPPTS Monitoring	
	Locations	
Figure 3–188.	Schematic of How SPPTS Phase I Upgrades Affect the System	3–254
	Plan View Drawing of SPPTS Phase I Upgrades	3–255
Figure 3–190.	Summary of Non-RFLMA Field-Evaluation Nitrate Concentration Data	
	from SPPTS Locations Preceding and Following Phase I Upgrades	3–260

Figure 3–191.	Concentrations of VOCs in Source-Area Wells 00191 (903 Pad) and	
	07391 (Ryan's Pit)	3–262
Figure 3–192.	Concentrations of VOCs Within 903 Pad/Ryan's Pit Plume	
C	VOCs in Downgradient 903 Pad/Ryan's Pit Plume Well 90399	
_	Concentrations of Primary VOCs in Former B444/South IA Plume	
\mathcal{C}	Area Evaluation Wells	3–265
Figure 3–195.	Concentrations of Primary VOCs in Central IA Evaluation Wells	3–267
	Concentrations of Primary VOCs in North-Central IA Evaluation Wells	
_	VOCs Present in the VC Plume Source Area	
•	Constituents with Statistically Significant Trends in Samples from	
C	Sentinel Well 33703	3–271
Figure 3–199.	Concentrations of Primary VOCs in IHSS 118.1 Source Area and	
	Plume	3–272
Figure 3–200.	Concentrations of Primary VOCs in PU&D Yard Plume Source Area	
C	Well 30900	3–274
Figure 3–201.	Concentrations of Primary VOCs in OU 1 Source Area Well 891WEL	3–276
	Concentrations of U in Boundary Wells	
	Concentrations of Primary VOCs and U in B991 Sentinel Wells	
-	Concentrations of U in B881 Sentinel Wells	
•	S-K Trend Plot for Nitrate+nitrite as Nitrogen in Samples from AOC	
C	Well B206989	3–280
Figure 3–206.	Concentrations of Nitrate and U in Groundwater Samples from AOC	
	Well B206989	3–281
Figure 3–207.	Concentrations of VOCs in Sentinel Well Monitoring Hillside South of	
	Former B991	3–282
Figure 3–208.	2008 Diffuse Knapweed (Centaurea diffusa) Distribution at Rocky	
	Flats	3–287
Figure 3–209.	2008 Dalmation Toadflax (Linaria dalmatica) Distribution at Rocky	
	Flats	3–288
Figure 3–210.	2008 Miscellaneous Noxious Weed Locations at Rocky Flats	3–291
Figure 3–211.	2008 Herbicide Application Locations at the Rocky Flats Site	3–292
Figure 3–212.	2008 Interseeding/Revegetation Locations at the Rocky Flats Site	3–297
Figure 3–213.	2008 Fertilizer Locations at Rocky Flats	3–298
Figure 3–214.	2008 Revegetation Monitoring Units at Rocky Flats	3–303
Figure 3–215.	2008 Black-tailed Prairie Dog Locations at Rocky Flats	3–311
	Tables	
Table 1–1.	Status of RFLMA Contact Records	1–5
Table 2–1.	CY 2008 Pond Water Discharges and Transfers	
Table 3–1.	Wells Abandoned in 2008.	
Table 3–2.	Summary of Original Well 45605 and Replacement Well 45608	
Table 3–3.	U Isotope Conversion Factors Used in Groundwater Evaluations	
Table 3–4.	Sampling and Data Evaluation Protocols at POCs	
Table 3–5.	Annual Volume-Weighted Average Radionuclide Activities at GS01	
	for 1997–2008	3–10

Table 3–6.	Annual Volume-Weighted Average Radionuclide Activities and	
	Nitrate+Nitrite as Nitrogen Concentrations at GS03 for 1997–2008	3–12
Table 3–7.	Annual Volume-Weighted Average Radionuclide Activities and	
	Nitrate+Nitrite as Nitrogen Concentrations at GS08 for 1997–2008	3–13
Table 3–8.	Annual Volume-Weighted Average Radionuclide Activities and	
	Nitrate+Nitrite as Nitrogen Concentrations at GS11 for 1997–2008	3–14
Table 3–9.	Annual Volume-Weighted Average Radionuclide Activities at GS31	
	for 1997–2008	
Table 3–10.	Sampling and Data Evaluation Protocols at POEs	3–15
Table 3–11.	Annual Volume-Weighted Average Radionuclide Activities at GS10	
	for 1997–2008	3–17
Table 3–12.	Annual Volume-Weighted Average Hardness and Metals	
	Concentrations at GS10 for 1997–2008	3–19
Table 3–13.	Reportable 12-Month Rolling Average Values for POE Monitoring	
	Location GS10	
Table 3–14.	Recent Analytical Results for Composite Samples Collected at GS10	3–21
Table 3–15.	U Concentrations and Isotopic Signatures from Samples Collected at	
	GS10 as Reported by LANL	3–26
Table 3–16.	CY 2007 Locations Selected for Sampling and High-Resolution U	
	Analysis	3–26
Table 3–17.	CY 2008 Locations Selected for Sampling and High-Resolution U	
	Analysis	3–26
Table 3–18.	Annual Volume-Weighted Average Radionuclide Activities at SW027	
	for 1997–2008	3–31
Table 3–19.	Annual Volume-Weighted Average Hardness and Metals	
	Concentrations at SW027 for 1997–2008	3–32
Table 3–20.	Annual Volume-Weighted Average Radionuclide Activities at SW093	
	for 1997–2008	3–33
Table 3–21.	Annual Volume-Weighted Average Hardness and Metals	
	Concentrations at SW093 for 1997–2008	3–34
Table 3–22.	Sampling and Data Evaluation Protocols at AOC Wells and SW018	
Table 3–23.	Sampling and Data Evaluation Protocols at Boundary Wells	
Table 3–24.	Sampling and Data Evaluation Protocols at Sentinel Wells	3–39
Table 3–25.	Sampling and Data Evaluation Protocols at Evaluation Wells	3–42
Table 3–26.	Sampling and Data Evaluation Protocols at Investigative Monitoring	
	Locations	3–45
Table 3–27.	Sampling and Data Evaluation Protocols at PLF RCRA Monitoring	
	Wells	
Table 3–28.	RCRA Groundwater Sampling Performed in 2008 at the PLF	3–48
Table 3–29.	Results of Groundwater ANOVA Evaluation for 2008 at the PLF	3–49
Table 3–30.	Sampling and Data Evaluation Protocols at OLF Surface-Water	
	Monitoring Locations	3–52
Table 3–31.	Sampling and Data Evaluation Protocols at OLF RCRA Monitoring	
	Wells	3–52
Table 3–32.	Se Analytical Results for Composite Samples Collected at GS59 in	
	CY 2008	
Table 3–33.	RCRA Groundwater Sampling Performed in 2008 at the OLF	
Table 3–34.	Results of Groundwater ANOVA Evaluation at the OLF	3–54

Table 3–35.	VOCs Detected in 2008 in Downgradient Wells at the OLF	3–55
Table 3–36.	RFLMA Sampling and Data Evaluation Protocols at MSPTS	
	Monitoring Locations	3–57
Table 3–37.	RFLMA Sampling and Data Evaluation Protocols at ETPTS	
	Monitoring Locations	3–58
Table 3–38.	RFLMA Sampling and Data Evaluation Protocols at SPPTS	
	Monitoring Locations	3–59
Table 3–39.	Sampling and Data Evaluation Protocols at PLFTS Monitoring	
	Locations	3–60
Table 3–40.	PLFTS Effluent (PLFSYSEFF): Summary of CY 2008 Grab Sampling	
	Analytical Results Exceeding RFLMA Surface-Water Standards	3–61
Table 3–41.	Sampling and Data Evaluation Protocols at Pre-Discharge Monitoring	
	Locations	3–62
Table 3–42.	Monitoring Network Precipitation Gage Information	3–124
Table 3–43.	List of Abandoned Wells with Hydrographs	
Table 3–44.	Calculated Flow Velocities for 2008	
Table 3–45.	Summary Statistics for Pu-239,240 Analytical Results in	
	CY 1997–October 13, 2005	3–140
Table 3–46.	Post-Closure Summary Statistics for Pu-239,240 Analytical Results	
14010 0 101	(October 13, 2005–December 31, 2008)	3–141
Table 3–47.	Summary Statistics for Am-241 Analytical Results in	
14610 6 171	CY 1997–October 13, 2005	3–144
Table 3–48.	Post-Closure Summary Statistics for Am-241 Analytical Results	
14010 0 101	(October 13, 2005–December 31, 2008)	3_144
Table 3–49.	Summary Statistics for Total U Analytical Results in	
14616 5 15.	CY 1997–October 13, 2005	3–147
Table 3–50.	Post-Closure Summary Statistics for Total U Analytical Results	
	(October 13, 2005–December 31, 2008)	3–147
Table 3–51.	Post-Closure Summary Statistics for Nitrate+Nitrite as Nitrogen	
14010 0 011	Analytical Results (October 13, 2005–December 31, 2008)	3–150
Table 3–52.	Average Pu/Am Ratios for Analytical Results in CY 1997–	
14610 6 62.	October 13, 2005	3–152
Table 3–53.	Post-Closure Average Pu/Am Ratios for Analytical Results	
14616 5 55.	(October 13, 2005–December 31, 2008)	3–152
Table 3–54.	Average U-233,234/U-238 Ratios for Analytical Results in	
14610 0 0	CY 1997–October 13, 2005	3–155
Table 3–55.	Post-Closure Average U-233,234/U-238 Ratios for Analytical Results	
14010 0 001	(October 13, 2005–December 31, 2008)	3_155
Table 3–56.	Summary Statistics for POE Metals Results from GS10 in	
14010 0 00.	CY 1997–October 13, 2005	3–158
Table 3–57.	Post-Closure Summary Statistics for POE Metals Results from GS10	
14610 6 671	(October 13, 2005–December 31, 2008)	3–158
Table 3–58.	Summary Statistics for POE Metals Results from SW027 in CY	
14010 0 00.	1997–October 13, 2005	3_158
Table 3–59.	Post-Closure Summary Statistics for POE Metals Results from SW027	
14010 5 57.	(October 13, 2005–December 31, 2008)	3_159
Table 3–60.	Summary Statistics for POE Metals Results from SW093 in	
14010 5 00.	CY 1997–October 13, 2005	3_159

Table 3–61.	Post-Closure Summary Statistics for POE Metals Results from SW093	2 450
T 11 2 62	(October 13, 2005–December 31, 2008)	
Table 3–62.	Activity to Mass Conversion Factors for Pu, Am, and U Isotopes	3–160
Table 3–63.	Off-Site Pu and Am Loads from Walnut and Woman Creeks:	0.167
T 11 0 64	CY 1997–2008	
Table 3–64.	Total U Loads from Walnut and Woman Creeks: CY 2003–2008	
Table 3–65.	Pu Loads at GS03, GS08, and GS11: CY 1997–2008	
Table 3–66.	Am Loads at GS03, GS08, and GS11: CY 1997–2008	
Table 3–67.	Total U Loads at GS03, GS08, and GS11: CY 2003–2008	
Table 3–68.	Pu Loads at GS01 and GS31: CY 1997–2008	
Table 3–69.	Am Loads at GS01 and GS31: CY 1997–2008	
Table 3–70.	Total U Loads at GS01 and GS31: CY 2003–2008	3–184
Table 3–71.	Pu and Am Loads from Terminal Ponds A-4, B-5, and C-2: CY 1997–2008	3–186
Table 3–72.	Total U Loads from Terminal Ponds A-4, B-5, and C-2: CY 1997–2008	3–188
Table 3–73.	Pu Load Summary for the A- and B-Series Ponds: CY 1997–2008	3–191
Table 3–74.	Am Load Summary for the A- and B-Series Ponds: CY 1997–2008	3–193
Table 3–75.	Total U Load Summary for the A- and B-Series Ponds: CY 1997–2008	
Table 3–76.	Pu Load Summary for Terminal Pond C-2: CY 1997–2008	
Table 3–77.	Am Load Summary for Terminal Pond C-2: CY 1997–2008	
Table 3–78.	Total U Load Summary for Terminal Pond C-2: CY 1997–2008	
Table 3–79.	COU Pu and Am Loads: CY 1997–2008	
Table 3–80.	COU Total U Loads: CY 1997–2008	
Table 3–81.	Changes to the Groundwater Monitoring Network in CY 2008	
Table 3–82.	RFLMA Monitoring Classifications for the Groundwater Monitoring	3–214
Table 3–83.	Summary of Scheduled RFLMA-Required Groundwater Sampling in	211
14010 5 05.	CY 2008 (by Quarter)	3_215
Table 3–84.	Summary of Groundwater Samples Not Successfully Collected in 2008	
Table 3–85.	Summary of Non-RFLMA Groundwater Monitoring Performed in	5 210
14010 5 05.	2008	3_218
Table 3–86.	Summary of Statistical Trend Calculations	
Table 3–87.	Estimated Volumes of Water Treated by the MSPTS	3_231
Table 3–88.	Select VOC Data (µg/L) from MSPTS Influent and Effluent	
Table 3–89.	Summary of VOCs Detected in 2008 at GS10	
Table 3–90.	Estimated Volumes of Water Treated by the ETPTS	
Table 3–91.	Summary of Recent VOC Data from ETPTS Influent and Effluent	
Table 3–92.	Estimated Volumes of Water Treated by the SPPTS	
Table 3–92.	Summary of Nitrate and U Concentrations in Samples from the DG	3–247
1 aute 3–93.	Prior to and Following Site Closure	2 252
Table 3–94.	Summary of Evaluation Sampling Performed in 2008 Following	3–232
	SPPTS Phase I Completion	3–257
Table 3–95.	Summary of Nitrate and U Concentrations in Samples from the DG	
	Prior to and Following Site Closure, and Following Phase I SPPTS	
	Upgrades	
Table 3–96.	High-Resolution U Isotopic Characterization in 2008	
Table 3–97.	COU Noxious Weed Acreage Summary	
Table 3–98.	FY 2008 Herbicide Application Summary	3–293

Table 3–99.	FY 2008 Interseeding/Revegetation Locations Summary for the Rocky	
	Flats Site	3-299
Table 3–100.	Fertilizer Application Locations FY 2008	3-300
	Basal Cover Summary at Revegetation Locations 2008	
	CY 2008 Sample Type Breakdown	
	Summary of DER Values	
	Summary of RPD Values	
Table 3–105.	Summary of MS and MSD Recovery Data	3-321
Table 3–106.	Summary of V&V Data Completeness	3-322
Table 3–107.	Summary of Field QC Samples and Data Records	3-323
	Appendixes	
Appendix A	Hydrologic Data	
Appendix B	Water-Quality Data	
Appendix C	Landfill Inspection Forms—Fourth Quarter CY 2008	
Appendix D	Data Evaluation Flowcharts Reproduced from RFLMA and the RFSOG	
Appendix E	LANL Reports: Thermal Ionization Mass Spectrometry Uranium Results for	
	September 2008 RFETS Waters and Thermal Ionization Mass Spectromet	try
	Uranium Results for November 2008 RFETS Waters	
Appendix F	SPPTS Phase III: Pilot-Scale Optimization of Nitrate Treatment	
Appendix G	RFLMA Contact Records	

2008 Ecology Data for the Rocky Flats Site

This page intentionally left blank

Abbreviations

Ag silver Am americium

ANOVA Analysis of Variance AOC Area of Concern

B boron Be beryllium

BMP best management practice

CAD/ROD Corrective Action Decision/Record of Decision

Cd cadmium

CDPHE Colorado Department of Public Health and Environment

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act –

"Superfund"

CFR Code of Federal Regulations

cfs cubic feet per second cm/s centimeters per second

CNHP Colorado Natural Heritage Program

COU Central Operable Unit

Cr chromium CY calendar year

D&D decontamination and decommissioning

DCA dichloroethane
DCB dichlorobenzene
DCE dichloroethene
DER duplicate error ratio
DG Discharge Gallery

DOE U.S. Department of Energy DQA data quality assessment

EPA U.S. Environmental Protection Agency

ERP Emergency Response Plan for Rocky Flats Site Dams

ESL Environmental Sciences Laboratory
ETPTS East Trenches Plume Treatment System

FC Functional Channel FR Federal Register ft/yr feet per year

g gram

GIS Geographic Information System

gpm gallons per minute

GWIS Groundwater Intercept System

HR ICP/MS high-resolution inductively coupled plasma/mass spectrometry

HRC Hydrogen Release Compound®

HRT hydraulic residence time IA Industrial Area

IC institutional control

IHSS Individual Hazardous Substance Site

IMP Integrated Monitoring Plan
ITPH Interceptor Trench Pump House

ITS Interceptor Trench System K-H Kaiser-Hill Company, LLC

L liter

LANL Los Alamos National Laboratory

LCS laboratory control sample
LM Office of Legacy Management
M&M monitoring and maintenance

m³ cubic meter

MCL maximum contaminant level MDA minimum detectable activity

M-K Mann-Kendall μg microgram

 $\begin{array}{ll} \mu g/L & \text{micrograms per liter} \\ mg/L & \text{milligrams per liter} \end{array}$

MS matrix spike

MSD matrix spike duplicate

MSPTS Mound Site Plume Treatment System

NA not applicable

NOID Notice of Intent to Delete NPL National Priorities List

NWTC National Wind Technology Center

OBP Oil Burn Pit
OLF Original Landfill
OU Operable Unit

PARCC precision, accuracy, representativeness, completeness, and comparability

PCE tetrachloroethene

pCi picocurie

pCi/L picocuries per liter

pCi/μg picocuries per microgram PIP Public Involvement Plan

PLF Present Landfill

PLFTS Present Landfill Treatment System

POC Point of Compliance
POE Point of Evaluation
POU Peripheral Operable Unit
PQL practical quantitation limit

Pu plutonium

PU&D Property Utilization and Disposal

PVC polyvinyl chloride

PZ piezometer

QA quality assurance QC quality control

RCRA Resource Conservation and Recovery Act

RFCA Rocky Flats Cleanup Agreement

RFETS Rocky Flats Environmental Technology Site
RFLMA Rocky Flats Legacy Management Agreement

RFSOG Rocky Flats Site Operations Guide

RI/FS Remedial Investigation/Feasibility Study

RMRS Rocky Mountain Remediation Services

RPD relative percent difference

Se selenium

SED Sitewide Ecological Database

SEEPro Site Environmental Evaluation for Projects

SEP Solar Evaporation Pond SID South Interceptor Ditch S-K Seasonal-Kendall

S-K Seasonal-Kendall SPP Solar Ponds Plume

SPPTS Solar Ponds Plume Treatment System

SVOC semivolatile organic compound

TCA trichloroethane
TCB trichlorobenzene
TCE trichloroethene

TIMS thermal ionization mass spectrometry

TM temporary modification TSS total suspended solids

U uranium

UHSU upper hydrostratigraphic unit
USFWS U.S. Fish and Wildlife Services
V&V validation and verification

VC vinyl chloride

VOC volatile organic compound WQCA Water Quality Control Act

WQCC Water Quality Control Commission

WQP water-quality parameter
WWTP Waste Water Treatment Plant

yr year

ZVI zero-valent iron

This page intentionally left blank

Executive Summary

The U.S. Department of Energy (DOE) Office of Legacy Management (LM) is responsible for implementing the final response action selected in the Final Corrective Action Decision/Record of Decision for Rocky Flats Plant (USDOE) Peripheral Operable Unit and Central Operable Unit (CAD/ROD) issued September 29, 2006, for the Rocky Flats Site (Site).

Under the CAD/ROD, two Operable Units (OUs) were established within the boundaries of the Rocky Flats property: the Peripheral OU (POU) and the Central OU (COU). The COU consolidates all areas of the Site that require additional remedial or corrective actions, while also considering practicalities of future land management. The POU includes the remaining, generally unimpacted portions of the Site and surrounds the COU. The response action in the Final CAD/ROD is no action for the POU, and institutional and physical controls with continued monitoring for the COU. The CAD/ROD determined that conditions in the POU were suitable for unrestricted use. The U.S. Environmental Protection Agency (EPA) subsequently published a Notice of Partial Deletion from the National Priorities List for the POU on May 25, 2007.

DOE, EPA, and the Colorado Department of Public Health and Environment (CDPHE) have chosen to implement the monitoring and maintenance requirements of the CAD/ROD under, and as described in, the Rocky Flats Legacy Management Agreement (RFLMA), executed March 14, 2007. RFLMA Attachment 2 defines the COU remedy surveillance and maintenance requirements. The requirements include environmental monitoring; maintenance of the erosion controls, access controls (signs), landfill covers, and groundwater treatment systems; and operation of the groundwater treatment systems.

The Rocky Flats Site Operations Guide was prepared by LM to serve as the primary internal document to guide work to satisfy the requirements of RFLMA and implement best management practices at the Site.

This report addresses all surveillance and maintenance activities conducted at the Site during Calendar Year 2008 (January 1 through December 31, 2008). Highlights of the surveillance and maintenance activities are as follows:

- RFLMA references the use of contact records to document CDPHE approvals of field modifications to implement approved response actions. RFLMA Attachment 2 references the use of contact records to document the outcome of consultation related to addressing any reportable conditions. This report discusses RFLMA contact records issued in 2008 and their status as of December 31, 2008.
- Several Colorado Water Quality Control Commission (WQCC) proceedings related to surface water standards for stream segments at Rocky Flats occurred in 2008. WOCC accepted DOE's petition for a rulemaking hearing, set for January 2009, to revise the Sitespecific uranium (U) surface-water standard to the statewide surface-water standard, which is the drinking water standard, and to eliminate the gross alpha and gross beta Site-specific standards. These changes were requested due to changed conditions resulting from cleanup and closure of the Site. WQCC also ruled in December 2007 that the current surface-water temporary modifications did not require change or elimination and that the current expiration date of December 31, 2009, remains in effect. DOE submitted information at

- WQCC's October 2008 issues identification hearing for the triennial review of the South Platte River Basin surface-water standards, set for June 2009.
- Conditions that warranted further repair and that triggered further investigation were found at the Original Landfill (OLF) beginning in 2007. These conditions involved the localized slumping and settling of the OLF cover, seeps observed to daylight intermittently on the cover, and the development of a continuous seep at the eastern toe of the buttress (identified as Seep 8). Investigation fieldwork for the OLF Phase 2 geotechnical work began in December 2007 and was completed in April 2008. The Phase 2 work revealed that a clay layer containing organic materials at or near the bedrock contact appears to be a weak interface area. Modeling predicts small-scale instability due to percolating moisture that lubricates this weak interval. The OLF buttress is providing stability as intended, and there is no large-scale instability predicted; therefore, the observed conditions do not appear to indicate a need for urgent or major responses. Maintenance and repairs were made in 2008 after completion of the geotechnical investigation to address the observed conditions. The actions included adding soil to raise diversion berm heights to meet design criteria, constructing an extension to the Seep 7 drain, and adding fill to and regrading the west diversion channel to improve slope stability.
- Phase I upgrades to the Solar Ponds Plume Treatment System (SPPTS) were completed and implemented in October 2008. In an effort to improve water quality in North Walnut Creek, the upgrades were designed to capture and treat more contaminated groundwater that would otherwise discharge, without treatment, to the creek. A collection sump (the Interceptor Trench System Sump [ITSS]) was constructed adjacent to the former Interceptor Trench Pump House, and the east and west Interceptor Trench System manifolds were connected to the ITSS. Water that collects in the ITSS is pumped up the hill into the collection well installed within the groundwater intercept trench. The water is then pumped into the SPPTS treatment cells. Sampling of the SPPTS and North Walnut Creek locations was increased to support an evaluation of the effects of Phase I improvements to the system and to support planning for additional system upgrades to effectively treat the additional flow and higher concentrations of contaminants resulting from Phase I.
- Surface-water flow volumes show expected reductions resulting from land configuration changes and removal of impervious surfaces.
- All surface-water Points of Compliance showed acceptable water quality for the entire year.
- Point of Evaluation (POE) location GS10 continued to show reportable values for total U.
 Evaluation has suggested that these reportable values are due to changes in hydrologic
 conditions, which have caused groundwater with naturally occurring U to make up a larger
 proportion of streamflow at GS10. All other POEs and all other analytes at GS10 showed
 acceptable water quality for the entire year.
- Surface-water monitoring at the Present Landfill Treatment System showed four analytes as periodically above applicable standards. Additional monitoring was performed as required by the RFLMA data evaluation process. Results of the additional monitoring did not indicate water-quality levels requiring consultation between the RFLMA parties.
- The groundwater treatment systems at the Site continued to successfully remove contaminant loading to surface water from groundwater plumes.

- Groundwater quality and flow at the Site were generally consistent with previous years. Statistical trending calculations indicated numerous significant concentration trends. More trends were found to be decreasing than increasing (54 versus 44).
- The reportable condition reported at Area of Concern well B206989 in 2007 due to elevated concentrations of nitrate in groundwater samples persisted through 2008. Concentrations were consistent with previous data, but statistical trending incorporating 2008 data now indicates a decreasing trend in nitrate concentrations that is statistically significant at the 80 percent confidence level. Additional consultations will be held to confirm the path forward.
- The well that had monitored the hillside south of former Building 991, and which was abandoned in 2007 to support regrading of that slumping hillside, was replaced. The new well, 45608, is artesian. Analytical data are generally consistent with those from the original well, 45605, and with the former French drain outfall location, SW056.
- All RFLMA-required ecological data collection, analysis, and reporting were completed as scheduled.
- Revegetation monitoring data continues to document the establishment of the desirable grassland species at the Site.
- The annual data quality assessment showed that the Site continues to collect high-quality data sufficient for decision making.

This page intentionally left blank